

PRICELIST

ZALLYS PRODUCTS

Date Effective: 28 April 2022

Date Replaces: 6 September 2019

ZALLYS PEDESTRIAN TOW TUGGERS

MODEL	SPECIFICATION	RRP	GST AMT	GST INC
 <p>M1</p>	<p>M1 -most compact, manoeuvrable and light weight Tugger</p> <p>Towing Capacity: 800- 1000Kg *</p> <p>Max Speed: 4km</p> <p>Unit Weight: 75Kg</p> <p>Incline: 15%</p>	<p>\$10,069.50</p> <p>\$0.00</p> <p>* STOCKED</p>	\$1,006.95	\$11,076.45
 <p>M12</p>	<p>M12 – Pedestrian operated bed mover / trolley mover. Small footprint of just 550mm its one of the most compact.</p> <p>Towing Capacity on flat surface: 1200kg</p> <p>Max Speed: 4/5km</p>	<p>\$12,594.75</p> <p>*STOCKED</p>	\$1,259.48	\$13,854.23
 <p>M3</p>	<p>M3 - Electric vehicle with tiller head guide. Adjustable rudder steering system allows for operation in narrow spaces. Pintle hitch standard</p> <p>Load Capacity: 200kg</p> <p>Towing Capacity on flat surface: 1500kg</p> <p>Max Speed: 4/5kmh</p>	<p>\$12,442.50</p> <p>*STOCKED</p>	\$1,244.25	\$13,686.75
 <p>M4</p>	<p>M4 - Practical, compact and easy to handle. With multiple accessories, ballasts weights and hitches the M4 can be used for both towing and pushing applications. Pintle hitch standard.</p> <p>Load capacity on flat surface: 300kg</p> <p>Towing capacity on flat surface: 1000kg – 3000kg with ballast</p> <p>Max Speed: 4/5kmh</p>	<p>\$13,860.00</p> <p>*STOCKED</p>	\$1,386.00	\$15,246.00
 <p>M5</p>	<p>M5 – Flagship, practical and powerful unit in the range. Top of the range industrial tow tug that helps reduce all manual effort. Pintle hitch standard.</p> <p>Load capacity on flat surface: 500kg</p> <p>Towing capacity on flat surface: 2000kg – 4000kg with ballast</p> <p>Max Speed: 4/5kmh</p>	<p>\$14,584.50</p> <p>*STOCKED</p>	\$1,458.45	\$16,042.95
 <p>M6.5</p>	<p>M6.5 - Compact, practical and powerful for towing and pushing applications in narrow spaces. The ideal solution to move extraordinary loads on one wheel that would otherwise need a motor vehicle. Pintle hitch standard. Linear actuated tow ball.</p> <p>Towing capacity on flat surface: 6000kg</p> <p>Max Speed: 4/5km/h</p>	<p>\$18,889.50</p> <p>* STOCKED</p>	\$1,888.95	\$20,778.45

ZALLYS PEDESTRIAN TOW TUGGERS				
MODEL	SPECIFICATION	RRP	GST AMT	GST INC
M9R 	M9R -shopping and airport trolley mover with remote control. Suitable to work as a pusher and tower in narrow spaces Towing capacity on flat surface: 3000kg Max Speed: 4.5km/h	\$16,369.50 * STOCKED	\$1,636.95	\$18,006.45
M10 	M10 - Cart mover equipped with a swivel tiller head, with a safety sensor which allows to work only in the presence of assigned personnel. Towing capacity on flat surface: 10000kg Load Capacity: 500kg Max Speed: 5km/h	\$35,374.50 * STOCKED	\$3,537.45	\$38,911.95
M11 	M11 - Cart mover equipped with a swivel tiller head, with a safety sensor which allows to work only in the presence of assigned personnel. Towing capacity on flat surface: 15000kg Load Capacity: 500kg Max Speed: 5km/h	\$37,054.50 * STOCKED	\$3,705.45	\$40,759.95
M16 	M16 - Electric tug equipped with hydraulic lifting system, the ideal solution to handle 2 wheel carts that need to be lifted for towing and pushing operations. Towing capacity on flat surface: 6000kg Load Capacity: 1800kg Max Speed: 4km/h	\$34,639.50 * STOCKED	\$3,463.95	\$38,103.45
ZALLYS POWERED PERSONNEL CARRIERS				
JACKL 	JACKL - 3 Wheeled Battery Vehicle – 1200W 1/32 24V Battery electric, standard bucket included. Capacity: Operator + 150kg Max Speed: 10kmh Range: Approx 8 hours	POA * STOCKED		
JAY800 	JAY800 – Vineyard Vehicle – 24V Battery electric, side sit position with small tray body, standard bucket included. Capacity: 250kg + operator Max Speed: 5kmh Range: Approx 8 hours	POA * STOCKED		
DDM 	DDM - 3 Wheel Personnel Carrier Ideal for transporting personnel, small bulky goods Speed: 14 Km/h Capacity = Load 50kg / Towing 500kg	\$12,904.50 * STOCKED	\$1,290.45	\$14,194.95
K5 	K5 – Transporter Load Capacity: Operator + 500kg Max Speed: 10kmh	POA *STOCKED		
ZALLYS POWERED LOAD MOVERS				
BRIO 	BRIO – Electric Wheel Barrow – 24V Battery electric, Zappi controller, batteries and charger. All terrain wheels, standard bucket included. Capacity: 200 kg Range: Approx 8 hours	\$7,654.50 * STOCKED	\$765.45	\$8,419.95

ZALLYS POWERED LOAD MOVERS

MODEL	SPECIFICATION	RRP	GST AMT	GST INC
 <p>D1</p>	<p>D1 – Electric Wheel Barrow Dumper – 24V Battery electric, Zappi controller, batteries and charger. All terrain wheels, standard bucket included.</p> <p>Capacity: 300kg Range: Approx 8 hours</p>	\$9,859.50 * STOCKED	\$985.95	\$10,845.45
 <p>DUMPERJET</p>	<p>DUMPERJET - Heavy Duty Electric Wheel Barrow 24V Battery electric, Zappi controller, batteries and charger, standard bucket included.</p> <p>Capacity: 500kg Range: Approx 8 hours</p>	\$12,337.50 * STOCKED	\$1,233.75	\$13,571.25
 <p>JESPI</p>	<p>JESPI – Battery Vehicle – 24V Battery electric, created for various special applications, standard tray included.</p> <p>Capacity: 600kg Max Speed: 5kmh Range: Approx 8 hours</p>	\$15,634.50 * STOCKED	\$1,563.45	\$17,197.95
 <p>JESPIL</p>	<p>JESPIL – Battery Vehicle – It is a 4-wheel motorised trolley that can be equipped with a large number of load cages and platforms.</p> <p>Capacity: 600kg Max Speed: 5kmh Range: Approx 8 hours</p>	POA * STOCKED		
 <p>RANGE MAX T 600W</p>	<p>Range Max T 600W - Battery Vehicle – 24V Battery electric, created for various special applications, standard bucket included.</p> <p>Towing Capacity: 3000kg Load: 400kg Max Speed: 4kmh Range: Approx 8 hours</p>	POA * STOCKED		
 <p>HS</p>	<p>HS - Battery Vehicle – 24V Battery electric, created for various special applications, standard bucket included.</p> <p>Load Capacity: 500kg Max Speed: 5kmh</p>	POA * STOCKED		
 <p>HS4</p>	<p>HS4 - Battery Vehicle – 24V Battery electric, created for various special applications, standard bucket included.</p> <p>Towing Capacity: 6000kg Max Speed: 5kmh</p>	POA * STOCKED		
 <p>HT</p>	<p>HT - Battery Vehicle – 24V Battery electric, created for various special applications, standard bucket included.</p> <p>Capacity: 400kg Max Speed: 5kmh</p>	\$15,067.50 * STOCKED	\$1,506.75	\$16,574.25
 <p>R4</p>	<p>R4 -The R4 is a 4 wheel drive electric vehicle that has been designed to be used on difficult grounds like sand or mud.</p> <p>Capacity: 400kg Towing: 5000kg Max Speed: 5kmh</p>	\$22,627.50 * STOCKED	\$2,262.75	\$24,890.25
 <p>R6</p>	<p>R6 - Battery Vehicle – 24V Battery electric, created for various special applications, standard bucket included.</p> <p>Capacity: 800kg Max Speed: 5kmh</p>	POA		
 <p>M15</p>	<p>M15 - Our electric platform trolley M15 is the solution to transport, easily and quickly, heavy loads up to 500 kg</p> <p>Capacity: 500kg</p>	\$7,717.50 * STOCKED	\$771.75	\$8,489.25

ZALLY'S POWERED SPECIALIST PRODUCTS

MODEL	SPECIFICATION	RRP	GST AMT	GST INC
 <p>M12E</p>	<p>M12E Electric pedestrian tug that can pull, push and steer wheeled loads with \ electric hitch that is operated directly from the tiller head.</p> <p>Tow Capacity: 1200kg Max Speed: 5.8kg</p>	<p>\$13,324.50</p> <p>* STOCKED</p>	<p>\$1,332.45</p>	<p>\$14,656.95</p>
 <p>M9 PRO</p>	<p>M9 PRO Small manoeuvrable, reliable and very powerful, perfect for indoor and outdoor use. Electric controlled tilting arm and the electric clamp, operated directly from the tiller head.</p> <p>Tow Capacity: 3000kg Max Speed: 4.5kg</p>	<p>\$15,634.50</p> <p>* STOCKED</p>	<p>\$1,563.45</p>	<p>\$17,197.95</p>
 <p>M8</p>	<p>M8 - Satisfies the demand for a safer workplace while retaining speed and manoeuvrability. Equipped with a tiller head and steering motor wheel able to turn through 320°. Cap 6m lengths</p> <p>Load capacity on flat surface: 1500kg Turning Radius: 320 degrees Max Speed: 4km/h</p>	<p>POA</p> <p>* STOCKED</p>		
 <p>M22</p>	<p>M22 - Electric solution for manual order picking</p> <p>Load capacity on flat surface: 450kg Max Speed: 4.5km/h</p>	<p>POA</p> <p>* STOCKED</p>		
 <p>XT 505</p>	<p>XT 505 4 wheel pedestrian operated vehicle, principally used in the cemetery field.</p> <p>Load capacity on flat surface: 450kg Max Speed: 4.5km/h</p>	<p>P.O.A</p> <p>* STOCKED</p>		
 <p>XT 510</p>	<p>XT 510 Basic version of our model XT 510 , an electric hydraulic lifter to be used as a coffin raiser to bury coffins up to a height of 4 mt.</p> <p>Load capacity on flat surface: 350kg Max Speed: 4km/h</p>	<p>P.O.A</p> <p>* STOCKED</p>		

ZALLY'S ACCESSORIES				
MODEL	SPECIFICATION	RRP	GST AMT	GST INC
	NGDBARKIT – Draw bar and hitching pin assembly Pin: 19mm Suits: NG Prestar Trolley & Model M3 draw bar	\$309.75	\$30.98	\$340.73
	A020 Steel Storage Basket – To sit on top of tow device. Zinc plated finish. Capacity rated to tow device. Suits: Model M4 or M5 Size: 730mm x 730mm x 220mm	\$1,044.75	\$104.48	\$1,149.23
	Ballast kit For ballast fitment to suit M4 Suits: M4	\$183.75	\$18.38	\$202.13
	Ballast Kit For ballast fitment to suit M5 + M6.5 Suits: M5 + M6.5	\$183.75	\$18.38	\$202.13
	Ballast Plate – Adds extra traction to units. Zinc plated panels. Easy to fit and remove. Suits: M4 Weight: 12.5kg	Set \$472.50	\$47.25	\$519.75
	Ballast Plate – Adds extra traction to units. Zinc plated panels. Easy to fit and remove. Suits: Model M5 Weight: 17kg each	Set		
	Ballast Plate – Adds extra traction to units. Zinc plated panels. Easy to fit and remove. Suits: M6.5 Weight: 10kg	Set		
	Sulo Bin Hitch - SULO8329F To fit onto Sulo Bins for towing. Suits: 1100LT Sulo Bin FRONT	\$367.50	\$36.75	\$404.25
	Sulo Bin Hitch - SULO8329R To fit onto Sulo Bins for towing. Suits: 1100LT Sulo Bin REAR	\$315.00	\$31.50	\$346.50
	Sulo Bin Hitch - SULO8330F To fit onto Sulo Bins for towing. Suits: 660LT Sulo Bin FRONT	\$367.50	\$36.75	\$404.25
	Sulo Bin Hitch - SULO8330R To fit onto Sulo Bins for towing. Suits: 660LT Sulo Bin REAR	\$315.00	\$31.50	\$346.50
	PIN HITCH - ZA120702 Suits M12	\$204.75	\$20.48	\$225.23
	SPRING HITCH - ZA120704 Suit M12	\$1,207.50	\$120.75	\$1,328.25
	240L Bin Hitch - ZA190720 Suit M12	\$588.00	\$58.80	\$646.80

* Prices are F.O.B. Melbourne and subject to GST

* All Prices are subject to change without notice